

# PD02 PORTICO Series

All Vinyl Patio Door



Single Sliding Door (OX/XO)

**SKYREACH**  
Better. In so many ways!

*Perfect*  
PATIO DOORS

# Better. In so many ways.

Meticulous design, plus superior features and options, are trademarks of SKYREACH fabricated doors. From carefully engineered security options to structural soundness—the possibilities are endless with a PERFECT® brand Patio Door.

## Upgrades


### Prestige Handle Upgrades



### Grilles



### Grille Styles



### Security Locks and Rollers



### Mini Blinds

- Mini Blinds with Tilt and Lift system available in 5' & 6' door.



### Screen Door

- Moose Screen provides both beauty and strength.



### Multiple Panel Systems

- 2, 3 and 4 panel.

### Invisible Retractable Screen

- With Speed Reducer and Recessed Handle.

### Complete Accessories


- Jamb pocket cover, jamb extensions (different sizes), casing, brick mould, nailing flange, drywall return and various joiners.

### Architectural Accessories

- Matching Transom and Side-Lites available.

### Custom Sizes

- Variety of aesthetically pleasing multi-panel combinations, custom sizes and custom finishes.




# Portico Single Slider (OX/XO) Patio Door

Portico Single Slider (OX/XO) patio door is a classic patio door with traditional right-hand (OX) and left-hand (XO) configuration. With minor adjustment during installation, this system is reversible as a right-hand and left-hand configuration. It is just perfect for your remodelling and new home project!

## Color Options

### Extruded Solid Color



### Painted Color Coat



COLORS SHOWN SHOULD BE USED AS GENERAL GUIDES.  
PRINTED COLORS ARE NOT AN EXACT MATCH FOR EXTRUDED OR PAINTED VINYL.



**SINGLE SLIDER (OX)** shown  
(also available in XO)

## Features & Benefits

- All vinyl, multi-chamber profile design for superior insulating properties for your comfort and energy savings.
- Mechanically-joined frame with accessory groove in standard 5-5/8" frame depth.
- Mechanically fastened aluminum reinforced door panels for rigidity and strength.
- Standard sizes available: 5, 6 or 8' width by 6'8" or 8'0" height.
- AAMA certified zinc-plated, double tandem steel rollers for durability and smooth, effortless sliding.
- Corrosion-resistant, anodized-aluminum tracks for ongoing, smooth gliding operation.
- Full perimeter triple layer weather stripping for excellent air and water tightness.
- Standard "Landmark" handle (with lock and key upgrade) and available upgrade to "Prestige" series handles.
- Heavy-duty screen with heavy-gauge extruded aluminum frame and fiberglass mesh for solid frame and smooth operation.
- Specially formulated, color-matched sealing material for durability in performance and color retention.
- Specially-designed fabrication equipment combined with some of the most efficient manufacturing processes ensure that the fit, finish and functionality of a PERFECT® brand sliding Patio Door is of the highest quality.

## PRODUCT PERFORMANCE

Evaluation Test	CAN/CGSB-82.1-M89	Energy Star	NFRC
Air Tightness	A3		
Water Tightness	B3		
Wind Load Resistance	C3	FILE	FILE
Forced	F1	EN8412-S41	NV-01318
Entry Resistance	E3		
Ease of Operation	Pass		
Parallel Load	Pass		



The company reserves the right to change specifications, alter or improve the design or construction of its products as described herein and to furnish them when so altered without reference to the illustrations or descriptions in this literature. Printed in Canada 09/12.



**SKYREACH**  
SKYREACH GROUP INC.

**Office address:**

112A Snidercroft Rd. Unit #2  
Concord, ON L4K 2K1

Tel: 905-761-9988

Fax: 905-761-8801

Email: [info@skyreachgroupinc.com](mailto:info@skyreachgroupinc.com)

[www.skyreachgroupinc.com](http://www.skyreachgroupinc.com)

DEALER